



Pages 4-5



Pages 270 → 273



Pages 311 → 315

On request and for adequate quantities these chains can be produced in:

AR	D	AS	CR	HT
Abrasion Resistance	Grey Acetal Resin	Anti-static Acetal Resin	Chemical Resistance	High Temperature Resistance

**Pin material:**

Austenitic steel (SPM) or plastic pin (PPM).

CHAIN - REF.	CODE	Material plate	Pin material	Breaking load N	Width L		Weight Kg/m
					mm	inch.	
LF 820 K250	<b>11602</b>	<b>LF</b> Brown	<b>SPM</b>	5000	63.5	2 1/2	0.79
LF 820 K325	<b>11362</b>				82.5	3 1/4	0.85
LF 820 K330	<b>11359</b>				83.8	3 19/64	0.87
LF 820 K350	<b>11603</b>				88.9	3 1/2	0.89
LF 820 K400	<b>11365</b>				101.6	4	0.95
LF 820 K450	<b>11368</b>				114.3	4 1/2	1.03
LF 820 K600	<b>11371</b>				152.4	6	1.25
LF 820 K750	<b>11374</b>				190.5	7 1/2	1.47
XPG 820 K250	<b>11120G</b>	<b>XPG</b> Dark Grey		4800	63.5	2 1/2	0.79
XPG 820 K325	<b>11100G</b>				82.5	3 1/4	0.85
XPG 820 K330	<b>11122G</b>				83.8	3 19/64	0.87
XPG 820 K350	<b>11121G</b>				88.9	3 1/2	0.89
XPG 820 K400	<b>11101G</b>				101.6	4	0.95
XPG 820 K450	<b>11102G</b>				114.3	4 1/2	1.03
XPG 820 K600	<b>11103G</b>				152.4	6	1.25
XPG 820 K750	<b>11104G</b>				190.5	7 1/2	1.47
NG 820 K250	<b>11150</b>	<b>NG</b> Green		4000	63.5	2 1/2	0.79
NG 820 K325	<b>11151</b>				82.5	3 1/4	0.85
NG 820 K330	<b>11157</b>				83.8	3 19/64	0.87
NG 820 K350	<b>11152</b>				88.9	3 1/2	0.89
NG 820 K400	<b>11153</b>				101.6	4	0.95
NG 820 K450	<b>11154</b>				114.3	4 1/2	1.03
NG 820 K600	<b>11155</b>				152.4	6	1.25
NG 820 K750	<b>11156</b>				190.5	7 1/2	1.47
LF 820 J K325	<b>11362UL</b>	<b>LF</b> Brown	<b>PPM</b>	2200	82.5	3 1/4	0.81
LF 820 J K450	<b>11368UL</b>				114.3	4 1/2	0.99
LF 820 J K750	<b>11374UL</b>				190.5	7 1/2	1.43
XPG 820 J K325	<b>11100GUL</b>	<b>XPG</b> Dark Grey		2000	82.5	3 1/4	0.81
XPG 820 J K450	<b>11102GUL</b>				114.3	4 1/2	0.99
XPG 820 J K750	<b>11104GUL</b>				190.5	7 1/2	1.43
NG 820 J K325	<b>11151UL</b>	<b>NG</b> Green		1700	82.5	3 1/4	0.81
NG 820 J K450	<b>11154UL</b>				114.3	4 1/2	0.99
NG 820 J K750	<b>11156UL</b>				190.5	7 1/2	1.43

Standard length: 80 pitches (10 ft. - 3.048 m)

Breaking Load according to Standard ISO 4348 - DIN 8153